



**Certificate of Analysis**  
Compliance Test

Client Information:

**SOUTH TIP, LLC**  
21400 SW 392ND ST  
HOMESTEAD, FL 33034

Batch # 01312024CBG  
Batch Date: 2024-05-13  
Extracted From: NA

Test Reg State: Florida

Order # SOU240514-030001  
Order Date: 2024-05-14  
Sample # AAF0665

Sampling Date: 2024-05-14  
Lab Batch Date: 2024-05-14  
Orig. Completion Date: 2024-05-16

Initial Gross Weight: 157.800 g

Statement of Amendment: Report format; Moisture



**Potency  
Tested**



**Moisture  
Tested**

Product Image

**Potency 10**  
Specimen Weight: 201.130 mg

Analyte	LOD (%)	LOQ (%)	Result	
			(mg/g)	(%)
CBGA	8.00E-5	0.0015	30.8800	3.0880
CBG	2.48E-4	0.0015	5.3400	0.5340
CBC	1.80E-5	0.0015	1.7100	0.1710
Delta-9 THC	1.30E-5	0.0015	0.1900	0.0190
THCA-A	3.20E-5	0.0015	0.1500	0.0150
CBDA	1.00E-5	0.0015	0.1100	0.0110
CBD	5.40E-5	0.0015	0.1000	0.0100
CBDV	6.50E-5	0.0015	<LOQ	<LOQ
CBN	1.40E-5	0.0015	<LOQ	<LOQ
THCV	7.00E-6	0.0015	<LOQ	<LOQ
Total Active CBD			0.196	0.0196
Total Active THC			0.324	0.0324

**Tested**

SOP13.001 (LCUV)



**Potency Summary**

**Total Active THC at Dry Weight**  
0.043%

**Total Active CBD at Dry Weight**  
0.026%

**Total CBG**  
4.306%

**Total CBN**  
None Detected

**Total Cannabinoids**  
5.111%

Sample was oven dried before potency testing.  
Summary results above show the dry weight concentration

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THC = THC + (THCVA \* 0.87), CBG Total = (CBGA \* 0.877) + CBG, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling. , \*Measurement of Uncertainty = ±15% Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



721 Cortaro Dr.  
Sun City Center, FL 33573  
www.acslabcannabis.com  
DEA No. RA0571996  
FL License # CMTL-0003  
CLIA No. 10D1094068

**CBG**  
Sample Matrix:  
CBD/HEMP  
Flower & Plants  
(Ingestion)



## Certificate of Analysis

Compliance Test

**Client Information:**

**SOUTH TIP, LLC**  
21400 SW 392ND ST  
HOMESTEAD, FL 33034

Batch # 01312024CBG  
Batch Date: 2024-05-13  
Extracted From: NA

Test Reg State: Florida

Order # SOU240514-030001  
Order Date: 2024-05-14  
Sample # AAF0665

Sampling Date: 2024-05-14  
Lab Batch Date: 2024-05-14  
Orig. Completion Date: 2024-05-16

Initial Gross Weight: 157.800 g



**Moisture**

Specimen Weight: 201.130 mg

**Tested**

SOP13.015 (Moisture Meter)

Dilution Factor: 1.000


Analyte

Moisture

Result

(%)

**24.710**

  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

