



Certificate of Analysis
Compliance Test

Client Information:

SOUTH TIP, LLC
21400 SW 392ND ST
HOMESTEAD, FL 33034
Order # SOU250103-020001
Order Date: 2025-01-03
Sample # AAG881

Batch # 12162024RVG
Batch Date: 2024-12-16
Extracted From: HEMP

Test Reg State: Florida

Production Facility: South Tip
Production Date: 2024-12-16

Sampling Date: 2025-01-08
Lab Batch Date: 2025-01-08
Completion Date: 2025-01-13

Initial Gross Weight: 39.679 g
Net Weight: 25.679 g

Number of Units: 1
Net Weight per Unit: 5135.800 mg



Product Image

Potency Tested	Heavy Metals Passed	Mycotoxins Passed	Pesticides Passed	Residual Solvents Passed
Pathogenic Microbiology Passed	Microbiology (qPCR) Passed			

Potency 10
Specimen Weight: 1527.000 mg

Tested
SOP13.001 (LCUV)

Potency Summary

Total Active THC None Detected	Total Active CBD 0.190% 9.758 mg
Total CBG 0.179% 9.193 mg	Total CBN None Detected
Total Cannabinoids 0.369% 18.951 mg	

Pieces For Panel: 5

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)	
CBD	5.40E-5	0.015	1.900	0.190	
CBG	2.48E-4	0.015	1.790	0.179	
CBC	1.80E-5	0.015	<LOQ	<LOQ	
CBDA	1.00E-5	0.015	<LOQ	<LOQ	
CBDV	6.50E-5	0.015	<LOQ	<LOQ	
CBGA	8.00E-5	0.015	<LOQ	<LOQ	
CBN	1.40E-5	0.015	<LOQ	<LOQ	
Delta-9 THC	1.30E-5	0.015	<LOQ	<LOQ	
THCA-A	3.20E-5	0.015	<LOQ	<LOQ	
THCV	7.00E-6	0.015	<LOQ	<LOQ	
Total Active CBD			1.900	0.190	
Total Active THC			<LOQ	<LOQ	

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THC + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis
Compliance Test

Client Information:

SOUTH TIP, LLC
21400 SW 392ND ST
HOMESTEAD, FL 33034
Order # SOU250103-020001
Order Date: 2025-01-03
Sample # AAG881

Batch # 12162024RVG
Batch Date: 2024-12-16
Extracted From: HEMP

Test Reg State: Florida

Production Facility: South Tip
Production Date: 2024-12-16

Order # SOU250103-020001
Order Date: 2025-01-03
Sample # AAG881

Sampling Date: 2025-01-08
Lab Batch Date: 2025-01-08
Completion Date: 2025-01-13

Initial Gross Weight: 39.679 g
Net Weight: 25.679 g

Number of Units: 1
Net Weight per Unit: 5135.800 mg

Total Yeast and Mold
Specimen Weight: 484.200 mg

Passed
SOP13.017 (qPCR)

Pathogenic Microbiology SAE (MicroArray)

Passed
SOP13.019
(Micro Array)

Dilution Factor: 8.000

Analyte	Action Level (cfu/g)	LOQ (cfu/g)	Result (cfu/g)
Total Yeast/Mold	100000	1000	<LOQ
Prep. By: 1161	Date: 2025-01-09 10:06:30	Analyzed By: 1161	Date: 2025-01-09 10:06:30
Reviewed By: 1161	Date: 2025-01-09 16:22:35	Lab Batch #: AAG881-434	Date: 2025-01-09 16:22:35

Specimen Weight: 1029.000 mg

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

SOUTH TIP, LLC
21400 SW 392ND ST
HOMESTEAD, FL 33034
Order # SOU250103-020001
Order Date: 2025-01-03
Sample # AAG8881

Batch # 12162024RVG
Batch Date: 2024-12-16
Extracted From: HEMP

Test Reg State: Florida

Production Facility: South Tip
Production Date: 2024-12-16

Sampling Date: 2025-01-08
Lab Batch Date: 2025-01-08
Completion Date: 2025-01-13

Initial Gross Weight: 39.679 g
Net Weight: 25.679 g

Number of Units: 1
Net Weight per Unit: 5135.800 mg



Heavy Metals

Specimen Weight: 245.600 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 203

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ	Mercury (Hg)	.58	100	3000	<LOQ



Mycotoxins

Specimen Weight: 609.000 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.460

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					



Residual Solvents - FL (CBD)

Specimen Weight: 290.000 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	2	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	6.739
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	2115.427	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	42.670	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

SOUTH TIP, LLC
21400 SW 392ND ST
HOMESTEAD, FL 33034

Batch # 12162024RVG
Batch Date: 2024-12-16
Extracted From: HEMP

Test Reg State: Florida

Production Facility: South Tip
Production Date: 2024-12-16

Order # SOU250103-020001
Order Date: 2025-01-03
Sample # AAGG881

Sampling Date: 2025-01-08
Lab Batch Date: 2025-01-08
Completion Date: 2025-01-13

Initial Gross Weight: 39.679 g
Net Weight: 25.679 g

Number of Units: 1
Net Weight per Unit: 5135.800 mg

Pesticides
Specimen Weight: 609.000 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.460

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	300	<LOQ	Fludioxonil	1.7400E+0	48	3000	<LOQ
Acephate	2.3000E-2	30	3000	<LOQ	Hexythiazox	4.9000E-2	30	2000	<LOQ
Acequinocyl	9.5640E+0	48	2000	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	3000	<LOQ	Imidacloprid	9.4000E-2	30	3000	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	1000	<LOQ
Azoxystrobin	8.1000E-2	10	3000	<LOQ	Malathion	8.2000E-2	30	2000	<LOQ
Bifenazate	1.4150E+0	30	3000	<LOQ	Metalaxyl	8.1000E-2	10	3000	<LOQ
Bifenthrin	4.3000E-2	30	500	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	3000	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	3000	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	3000	<LOQ
Chlorantraniliprole	3.3000E-2	10	3000	<LOQ	Naled	9.5000E-2	30	500	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Pacllobutrazol	6.5000E-2	30	100	<LOQ
Chloromequat Chloride	1.0800E-1	10	3000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	200	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	1000	<LOQ
Clofentezine	1.1900E-1	30	500	<LOQ	Phosmet	8.2000E-2	30	200	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	1000	<LOQ	Prallethrin	7.9800E-1	30	400	<LOQ
Cypermethrin	1.4490E+0	30	1000	<LOQ	Propiconazole	7.0000E-2	30	1000	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	200	<LOQ	Pyrethrins	2.3593E+1	30	1000	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	3000	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	3000	<LOQ
Dimethomorph	5.8300E+0	48	3000	<LOQ	Spinosad	8.8000E-2	30	3000	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	3000	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	3000	<LOQ
Etoxazole	9.5000E-2	30	1500	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	3000	<LOQ	Tebuconazole	6.7000E-2	30	1000	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	2000	<LOQ	Thiamethoxam	5.0000E-2	30	1000	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	3000	<LOQ
Flonicamid	5.1700E-1	30	2000	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

