



## Certificate of Analysis

Compliance Test

### Client Information:

**SOUTH TIP, LLC**  
21400 SW 392ND ST  
HOMESTEAD, FL 33034  
Order # SOU250623-020001  
Order Date: 2025-06-23  
Sample # AAGV691

Batch # 06232025BB  
Batch Date: 2025-06-23  
Extracted From: HEMP

Test Reg State: Florida

Production Facility: South Tip, LLC  
Production Date: 2025-06-23

Sampling Date: 2025-06-25  
Lab Batch Date: 2025-06-25  
Completion Date: 2025-06-30

Initial Gross Weight: 79.365 g  
Density: .979 g/ml  
Volume: 30 ml



Product Image



**Potency  
Tested**



**Heavy Metals  
Passed**



**Mycotoxins  
Passed**



**Pesticides  
Passed**



**Residual Solvents  
Passed**



**Pathogenic  
Passed**



**Microbiology (qPCR)  
Passed**



### Potency 10

Specimen Weight: 101.470 mg

### Tested

SOP13.001 (LCUV)

| Analyte          | LOD<br>(mg/g) | LOQ<br>(%) | Result<br>(mg/ml) | (%)   |
|------------------|---------------|------------|-------------------|-------|
| CBD              | 5.40E-5       | 0.015      | 10.270            | 1.049 |
| CBG              | 2.48E-4       | 0.015      | 1.018             | 0.104 |
| CBDV             | 6.50E-5       | 0.015      | 0.382             | 0.039 |
| CBDA             | 1.00E-5       | 0.015      | 0.166             | 0.017 |
| CBC              | 1.80E-5       | 0.015      | <LOQ              | <LOQ  |
| CBGA             | 8.00E-5       | 0.015      | <LOQ              | <LOQ  |
| CBN              | 1.40E-5       | 0.015      | <LOQ              | <LOQ  |
| Delta-9 THC      | 1.30E-5       | 0.015      | <LOQ              | <LOQ  |
| THCA-A           | 3.20E-5       | 0.015      | <LOQ              | <LOQ  |
| THCV             | 7.00E-6       | 0.015      | <LOQ              | <LOQ  |
| Total Active CBD |               |            | 10.639            | 1.064 |
| Total Active THC |               |            | <LOQ              | <LOQ  |



### Potency Summary

|                                                 |                                              |
|-------------------------------------------------|----------------------------------------------|
| <b>Total Active THC</b><br>None Detected        | <b>Total Active CBD</b><br>1.064% 312.497 mg |
| <b>Total CBG</b><br>0.104% 30.545 mg            | <b>Total CBN</b><br>None Detected            |
| <b>Total Cannabinoids</b><br>1.209% 355.0833 mg |                                              |

  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Client supplied the net weight of ml The results apply to the sample as received. This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



## Certificate of Analysis

Compliance Test

**Client Information:**

**SOUTH TIP, LLC**  
21400 SW 392ND ST  
HOMESTEAD, FL 33034  
Order # SOU250623-020001  
Order Date: 2025-06-23  
Sample # AAGV691

Batch # 06232025BB  
Batch Date: 2025-06-23  
Extracted From: HEMP

Test Reg State: Florida

Production Facility: South Tip, LLC  
Production Date: 2025-06-23

Sampling Date: 2025-06-25  
Lab Batch Date: 2025-06-25  
Completion Date: 2025-06-30

Initial Gross Weight: 79.365 g  
Density: .979 g/ml  
Volume: 30 ml

**Total Yeast and Mold**  
Specimen Weight: 489.200 mg

**Passed**  
SOP13.017 (qPCR)

Dilution Factor: 8.000

| Analyte           | Action Level (cfu/g)      | LOQ (cfu/g)              | Result (cfu/g)            |
|-------------------|---------------------------|--------------------------|---------------------------|
| Total Yeast/Mold  | 100000                    | 1000                     | <LOQ                      |
| Prep. By: 1161    | Date: 2025-06-25 12:12:40 | Analyzed By: 1161        | Date: 2025-06-25 12:12:40 |
| Reviewed By: 1225 | Date: 2025-06-25 18:23:08 | Lab Batch #: AAGV691-434 | Date: 2025-06-25 18:23:08 |

**Pathogenic SAE (qPCR)**  
Specimen Weight: 1012.600 mg

**Passed**  
SOP13.029 (qPCR)

Dilution Factor: 1.000

| Analyte                                         | Action Level (cfu/g) | Result (cfu/g) | Analyte    | Action Level (cfu/g) | Result (cfu/g) |
|-------------------------------------------------|----------------------|----------------|------------|----------------------|----------------|
| Aspergillus (Flavus, Fumigatus, Niger, Terreus) | 1                    | Absence in 1g  | Salmonella | 1                    | Absence in 1g  |
| E.Coli                                          | 1                    | Absence in 1g  |            |                      |                |

Aixa Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





## Certificate of Analysis

Compliance Test

### Client Information:

**SOUTH TIP, LLC**  
21400 SW 392ND ST  
HOMESTEAD, FL 33034  
Order # SOU250623-020001  
Order Date: 2025-06-23  
Sample # AAGV691

Batch # 06232025BB  
Batch Date: 2025-06-23  
Extracted From: HEMP

Test Reg State: Florida

Production Facility: South Tip, LLC  
Production Date: 2025-06-23

Sampling Date: 2025-06-25  
Lab Batch Date: 2025-06-25  
Completion Date: 2025-06-30

Initial Gross Weight: 79.365 g  
Density: .979 g/ml  
Volume: 30 ml



### Heavy Metals

Specimen Weight: 250.300 mg

**Passed**

SOP13.048 (ICP-MS)

Dilution Factor: 199

| Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Arsenic (As) | 4.83      | 100       | 1500               | <LOQ         | Lead (Pb)    | 11.76     | 100       | 500                | 150.596      |
| Cadmium (Cd) | .64       | 100       | 500                | <LOQ         | Mercury (Hg) | .58       | 100       | 3000               | <LOQ         |



### Mycotoxins

Specimen Weight: 595.900 mg

**Passed**

SOP13.007 (LCMS)

Dilution Factor: 2.520

| Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Aflatoxin B1 | 3.0400E-1 | 6         | 20                 | <LOQ         | Aflatoxin G2 | 2.7100E-1 | 6         | 20                 | <LOQ         |
| Aflatoxin B2 | 7.7000E-2 | 6         | 20                 | <LOQ         | Ochratoxin A | 7.5400E-1 | 3.8       | 20                 | <LOQ         |
| Aflatoxin G1 | 3.0400E-1 | 6         | 20                 | <LOQ         |              |           |           |                    |              |



### Residual Solvents - FL (CBD)

Specimen Weight: 15.000 mg

**Passed**

SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

| Analyte            | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte            | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|--------------------|-----------|-----------|--------------------|--------------|--------------------|-----------|-----------|--------------------|--------------|
| 1,1-Dichloroethene | 0.0094    | 0.16      | 8                  | <LOQ         | Heptane            | 0.0013    | 1.39      | 5000               | <LOQ         |
| 1,2-Dichloroethane | 0.0003    | 0.04      | 2                  | <LOQ         | Hexane             | 0.068     | 1.17      | 290                | <LOQ         |
| Acetone            | 0.015     | 2.08      | 5000               | <LOQ         | Isopropyl alcohol  | 0.0048    | 1.39      | 500                | <LOQ         |
| Acetonitrile       | 0.06      | 1.17      | 410                | <LOQ         | Methanol           | 0.0005    | 0.69      | 3000               | <LOQ         |
| Benzene            | 0.0002    | 0.02      | 2                  | <LOQ         | Methylene chloride | 0.0029    | 2.43      | 600                | <LOQ         |
| Butanes            | 0.4167    | 2.5       | 2000               | <LOQ         | Pentane            | 0.037     | 2.08      | 5000               | <LOQ         |
| Chloroform         | 0.0001    | 0.04      | 60                 | <LOQ         | Propane            | 0.031     | 5.83      | 2100               | <LOQ         |
| Ethanol            | 0.0021    | 2.78      | NA                 | <LOQ         | Toluene            | 0.0009    | 2.92      | 890                | <LOQ         |
| Ethyl Acetate      | 0.0012    | 1.11      | 5000               | <LOQ         | Total Xylenes      | 0.0001    | 2.92      | 2170               | <LOQ         |
| Ethyl Ether        | 0.0049    | 1.39      | 5000               | <LOQ         | Trichloroethylene  | 0.0014    | 0.49      | 80                 | <LOQ         |
| Ethylene Oxide     | 0.0038    | 0.1       | 5                  | <LOQ         |                    |           |           |                    |              |

Aixa Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





## Certificate of Analysis

Compliance Test

**Client Information:**

**SOUTH TIP, LLC**  
21400 SW 392ND ST  
HOMESTEAD, FL 33034

Batch # 06232025BB  
Batch Date: 2025-06-23  
Extracted From: HEMP

Test Reg State: Florida

Production Facility: South Tip, LLC  
Production Date: 2025-06-23

Order # SOU250623-020001  
Order Date: 2025-06-23  
Sample # AAGV691

Sampling Date: 2025-06-25  
Lab Batch Date: 2025-06-25  
Completion Date: 2025-06-30

Initial Gross Weight: 79.365 g  
Density: .979 g/ml  
Volume: 30 ml



**Pesticides**

Specimen Weight: 595.900 mg

**Passed**  
SOP13.007 (LCMS)

Dilution Factor: 2.520

| Analyte              | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte                 | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|----------------------|-----------|-----------|--------------------|--------------|-------------------------|-----------|-----------|--------------------|--------------|
| Abamectin            | 2.8800E-1 | 28.23     | 300                | <LOQ         | Fludioxonil             | 1.7400E+0 | 48        | 3000               | <LOQ         |
| Acephate             | 2.3000E-2 | 30        | 3000               | <LOQ         | Hexythiazox             | 4.9000E-2 | 30        | 2000               | <LOQ         |
| Acequinocyl          | 9.5640E+0 | 48        | 2000               | <LOQ         | Imazalil                | 2.4800E-1 | 30        | 100                | <LOQ         |
| Acetamiprid          | 5.2000E-2 | 30        | 3000               | <LOQ         | Imidacloprid            | 9.4000E-2 | 30        | 3000               | <LOQ         |
| Aldicarb             | 2.6000E-2 | 30        | 100                | <LOQ         | Kresoxim Methyl         | 4.2000E-2 | 30        | 1000               | <LOQ         |
| Azoxystrobin         | 8.1000E-2 | 10        | 3000               | <LOQ         | Malathion               | 8.2000E-2 | 30        | 2000               | <LOQ         |
| Bifenazate           | 1.4150E+0 | 30        | 3000               | <LOQ         | Metalaxyl               | 8.1000E-2 | 10        | 3000               | <LOQ         |
| Bifenthrin           | 4.3000E-2 | 30        | 500                | <LOQ         | Methiocarb              | 3.2000E-2 | 30        | 100                | <LOQ         |
| Boscalid             | 5.5000E-2 | 10        | 3000               | <LOQ         | Methomyl                | 2.2000E-2 | 30        | 100                | <LOQ         |
| Captan               | 6.1200E+0 | 30        | 3000               | <LOQ         | methyl-Parathion        | 1.7100E+0 | 10        | 100                | <LOQ         |
| Carbaryl             | 2.2000E-2 | 10        | 500                | <LOQ         | Mevinphos               | 2.1500E+0 | 10        | 100                | <LOQ         |
| Carbofuran           | 3.4000E-2 | 10        | 100                | <LOQ         | Myclobutanil            | 1.0290E+0 | 30        | 3000               | <LOQ         |
| Chlorantraniliprole  | 3.3000E-2 | 10        | 3000               | <LOQ         | Naled                   | 9.5000E-2 | 30        | 500                | <LOQ         |
| Chlordane            | 1.0000E+1 | 10        | 100                | <LOQ         | Oxamyl                  | 2.5000E-2 | 30        | 500                | <LOQ         |
| Chlorfenapyr         | 3.4000E-2 | 30        | 100                | <LOQ         | Paclobutrazol           | 6.5000E-2 | 30        | 100                | <LOQ         |
| Chlormequat Chloride | 1.0800E-1 | 10        | 3000               | <LOQ         | Pentachloronitrobenzene | 1.3200E+0 | 10        | 200                | <LOQ         |
| Chlorpyrifos         | 3.5000E-2 | 30        | 100                | <LOQ         | Permethrin              | 3.4300E-1 | 30        | 1000               | <LOQ         |
| Clofentezine         | 1.1900E-1 | 30        | 500                | <LOQ         | Phosmet                 | 8.2000E-2 | 30        | 200                | <LOQ         |
| Coumaphos            | 3.7700E+0 | 48        | 100                | <LOQ         | Piperonylbutoxide       | 2.9000E-2 | 30        | 3000               | <LOQ         |
| Cyfluthrin           | 3.1100E+0 | 30        | 1000               | <LOQ         | Prallethrin             | 7.9800E-1 | 30        | 400                | <LOQ         |
| Cypermethrin         | 1.4490E+0 | 30        | 1000               | <LOQ         | Propiconazole           | 7.0000E-2 | 30        | 1000               | <LOQ         |
| Daminozide           | 8.8500E-1 | 30        | 100                | <LOQ         | Propoxur                | 4.6000E-2 | 30        | 100                | <LOQ         |
| Diazinon             | 4.4000E-2 | 30        | 200                | <LOQ         | Pyrethrins              | 2.3593E+1 | 30        | 1000               | <LOQ         |
| Dichlorvos           | 2.1820E+0 | 30        | 100                | <LOQ         | Pyridaben               | 3.2000E-2 | 30        | 3000               | <LOQ         |
| Dimethoate           | 2.1000E-2 | 30        | 100                | <LOQ         | Spinetoram              | 8.0000E-2 | 10        | 3000               | <LOQ         |
| Dimethomorph         | 5.8300E+0 | 48        | 3000               | <LOQ         | Spinosad                | 8.8000E-2 | 30        | 3000               | <LOQ         |
| Ethoprophos          | 3.6000E-1 | 30        | 100                | <LOQ         | Spiromesifen            | 2.6100E-1 | 30        | 3000               | <LOQ         |
| Etofenprox           | 1.1600E-1 | 30        | 100                | <LOQ         | Spirotetramat           | 8.9000E-2 | 30        | 3000               | <LOQ         |
| Etiozazole           | 9.5000E-2 | 30        | 1500               | <LOQ         | Spiroxamine             | 1.3100E-1 | 30        | 100                | <LOQ         |
| Fenhexamid           | 5.1000E-1 | 10        | 3000               | <LOQ         | Tebuconazole            | 6.7000E-2 | 30        | 1000               | <LOQ         |
| Fenoxycarb           | 1.0700E-1 | 30        | 100                | <LOQ         | Thiacloprid             | 6.4000E-2 | 30        | 100                | <LOQ         |
| Fenpyroximate        | 1.3800E-1 | 30        | 2000               | <LOQ         | Thiamethoxam            | 5.0000E-2 | 30        | 1000               | <LOQ         |
| Fipronil             | 1.0700E-1 | 30        | 100                | <LOQ         | Trifloxystrobin         | 3.7000E-2 | 30        | 3000               | <LOQ         |
| Flonicamid           | 5.1700E-1 | 30        | 2000               | <LOQ         |                         |           |           |                    |              |

*Aixia Sun*

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

