



Certificate of Analysis

Compliance Test

Client Information:

SOUTH TIP, LLC
21400 SW 392ND ST
HOMESTEAD, FL 33034

Manufacturing Facility:

SOUTH TIP, LLC
21400 SW 392ND ST
HOMESTEAD, FL 33034
Production Date: 2025-08-19

Batch Data:

Batch # 08192025R3
Batch Date: 2025-08-19
Extracted From: N/A

Order Details:

Test Reg State: Florida
Food Permit #: 402538

Order #


SOU250820-020001
Order Date: 2025-08-20
Sample # AAHA377

Sampling Date: 2025-08-22

Lab Batch Date: 2025-08-22
Completion Date: 2025-08-28

Initial Gross Weight: 58.506 g

Servings Per Package:
1



Product Image



**Potency
Tested**



**Heavy Metals
Passed**



**Mycotoxins
Passed**



**Pesticides
Passed**



**Residual Solvents
Passed**



**Pathogenic
Passed**



**Microbiology (qPCR)
Passed**



Potency Summary

Total Active THC	<LOQ	Total Active CBD	0.491%
per Serving	0.00 mg	per Serving	0.00 mg
per Package	0.00 mg	per Package	0.00 mg
Total CBG	0.0550%	Total CBN	<LOQ
per Serving	0.00 mg	per Serving	0.00 mg
per Package	0.00 mg	per Package	0.00 mg
Total Cannabinoids	2.18%	Total DELTA-8-THC	1.62%
per Serving	0.00 mg	per Serving	0.00 mg
per Package	0.00 mg	per Package	0.00 mg

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Client supplied the net weight of ml The results apply to the sample as received. This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number



Certificate of Analysis

Compliance Test

Client Information:

SOUTH TIP, LLC
21400 SW 392ND ST
HOMESTEAD, FL 33034

Manufacturing Facility:

SOUTH TIP, LLC
21400 SW 392ND ST
HOMESTEAD, FL 33034
Production Date: 2025-08-19

Batch Data:

Batch # 08192025R3
Batch Date: 2025-08-19
Extracted From: N/A

Order Details:

Test Reg State: Florida
Food Permit #: 402538

Order #

SOU250820-020001
Order Date: 2025-08-20
Sample # AAHA377

Sampling Date: 2025-08-22

Lab Batch Date: 2025-08-22
Completion Date: 2025-08-28

Initial Gross Weight: 58.506 g

Servings Per Package:
1



Potency 11 (LCUV)

Specimen Weight: 506.740 mg

Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)	Per Serving (mg)	Per Package (mg)
Delta-8 THC	50.000	2.60E-5	0.015	16.2	1.62	0.00	0.00
CBD	50.000	5.40E-5	0.015	4.91	0.491	0.00	0.00
CBG	50.000	2.48E-4	0.015	0.550	0.0550	0.00	0.00
CBDV	50.000	6.50E-5	0.015	0.180	0.0180	0.00	0.00
CBC	50.000	1.80E-5	0.015	<LOQ	<LOQ	0.00	0.00
CBDA	50.000	1.00E-5	0.015	<LOQ	<LOQ	0.00	0.00
CBGA	50.000	8.00E-5	0.015	<LOQ	<LOQ	0.00	0.00
CBN	50.000	1.40E-5	0.015	<LOQ	<LOQ	0.00	0.00
Delta-9 THC	50.000	1.30E-5	0.015	<LOQ	<LOQ	0.00	0.00
THCA-A	50.000	3.20E-5	0.015	<LOQ	<LOQ	0.00	0.00
THCV	50.000	7.00E-6	0.015	<LOQ	<LOQ	0.00	0.00
Total Active THC	50.000			<LOQ	<LOQ	0.00	0.00
Total Active CBD	50.000			4.91	0.491	0.00	0.00

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number



Certificate of Analysis

Compliance Test

Client Information:

SOUTH TIP, LLC
21400 SW 392ND ST
HOMESTEAD, FL 33034

Manufacturing Facility:

SOUTH TIP, LLC
21400 SW 392ND ST
HOMESTEAD, FL 33034
Production Date: 2025-08-19

Batch Data:

Batch # 08192025R3
Batch Date: 2025-08-19
Extracted From: N/A

Order Details:

Test Reg State: Florida
Food Permit #: 402538

Order #

SOU250820-020001
Order Date: 2025-08-20
Sample # AAHA377

Sampling Date: 2025-08-22

Lab Batch Date: 2025-08-22
Completion Date: 2025-08-28

Initial Gross Weight: 58.506 g

Servings Per Package:
1



PCR Total Yeast and Mold

Specimen Weight: 493.200 mg

Passed

SOP13.017 (qPCR)

Dilution Factor: 8,000

Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Total Yeast/Mold	1000	100000	<LOQ



Pathogenic SAE (qPCR) FL

Specimen Weight: 1023.300 mg

Passed

SOP13.029 (qPCR)

Dilution Factor: 1,000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Analyte	Action Level (cfu/g)	Result (cfu/g)
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	1	Absence in 1g	Shiga toxin-producing E. coli (STEC)	1	Absence in 1g
Salmonella	1	Absence in 1g			

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number



Certificate of Analysis

Compliance Test

Client Information:

SOUTH TIP, LLC

21400 SW 392ND ST

HOMESTEAD, FL 33034

Manufacturing Facility:

SOUTH TIP, LLC

21400 SW 392ND ST

HOMESTEAD, FL 33034

Production Date: 2025-08-19

Batch Data:

Batch # 08192025R3

Batch Date: 2025-08-19

Extracted From: N/A

Order Details:

Test Reg State: Florida

Food Permit #: 402538

Order

SOU250820-020001

Order Date: 2025-08-20

Sample # AAHA377

Sampling Date: 2025-08-22

Lab Batch Date: 2025-08-22

Completion Date: 2025-08-28

Initial Gross Weight: 58.506 g

Servings Per Package:

1



Heavy Metals

Specimen Weight: 252.700 mg

Passed

SOP13.048 (ICP-MS)

Dilution Factor: 197

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.830	100	1500	<LOQ	Lead (Pb)	11.760	100	500	<LOQ
Cadmium (Cd)	0.640	100	500	<LOQ	Mercury (Hg)	0.580	100	3000	<LOQ



Mycotoxins

Specimen Weight: 616.110 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.430

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	0.304	6	20	<LOQ	Aflatoxin G2	0.271	6	20	<LOQ
Aflatoxin B2	0.077	6	20	<LOQ	Ochratoxin A	0.754	3.8	20	<LOQ
Aflatoxin G1	0.304	6	20	<LOQ					



Residual Solvents - FL (CBD)

Specimen Weight: 17.800 mg

Passed

SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.009	0.16	8	<LOQ	Heptane	0.001	1.39	5000	<LOQ
1,2-Dichloroethane	0.000	0.04	2	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.005	1.39	500	<LOQ
Acetonitrile	0.060	1.17	410	<LOQ	Methanol	0.001	0.69	3000	<LOQ
Benzene	0.000	0.02	2	<LOQ	Methylene chloride	0.003	2.43	600	<LOQ
Butanes	0.417	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.000	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.002	2.78	5000	<LOQ	Toluene	0.001	2.92	890	<LOQ
Ethyl Acetate	0.001	1.11	5000	<LOQ	Total Xylenes	0.000	2.92	2170	<LOQ
Ethyl Ether	0.005	1.39	5000	<LOQ	Trichloroethylene	0.001	0.49	80	<LOQ
Ethylene Oxide	0.004	0.1	5	<LOQ					

Aixa Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number



Certificate of Analysis

Compliance Test

Client Information:
SOUTH TIP, LLC
21400 SW 392ND ST
HOMESTEAD, FL 33034

Manufacturing Facility:
SOUTH TIP, LLC
21400 SW 392ND ST
HOMESTEAD, FL 33034
Production Date: 2025-08-19

Batch Data:
Batch # 08192025R3
Batch Date: 2025-08-19
Extracted From: N/A

Order Details:
Test Reg State: Florida
Food Permit #: 402538

Order #
SOU250820-020001
Order Date: 2025-08-20
Sample # AAHA377

Sampling Date: 2025-08-22
Lab Batch Date: 2025-08-22
Completion Date: 2025-08-28

Initial Gross Weight: 58.506 g

Servings Per Package:
1

Pesticides

Specimen Weight: 616.110 mg

SOP13.007 (LCMS/GCMS)

Passed

Dilution Factor: 2.430

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	0.288	28.23	300	<LOQ	Fludioxonil	1.740	48	3000	<LOQ
Acephate	0.023	30	3000	<LOQ	Hexythiazox	0.049	30	2000	<LOQ
Acequinocyl	9.564	48	2000	<LOQ	Imazalil	0.248	30	100	<LOQ
Acetamiprid	0.052	30	3000	<LOQ	Imidacloprid	0.094	30	3000	<LOQ
Aldicarb	0.026	30	100	<LOQ	Kresoxim Methyl	0.042	30	1000	<LOQ
Azoxystrobin	0.081	10	3000	<LOQ	Malathion	0.082	30	2000	<LOQ
Bifenazate	1.415	30	3000	<LOQ	Metalaxyl	0.081	10	3000	<LOQ
Bifenthrin	0.043	30	500	<LOQ	Methiocarb	0.032	30	100	<LOQ
Boscalid	0.055	10	3000	<LOQ	Methomyl	0.022	30	100	<LOQ
Captan	6.120	30	3000	<LOQ	methyl-Parathion	1.710	10	100	<LOQ
Carbaryl	0.022	10	500	<LOQ	Mevinphos	2.150	10	100	<LOQ
Carbofuran	0.034	10	100	<LOQ	Myclobutanil	1.029	30	3000	<LOQ
Chlorantraniliprole	0.033	10	3000	<LOQ	Naled	0.095	30	500	<LOQ
Chlordane	10.000	10	100	<LOQ	Oxamyl	0.025	30	500	<LOQ
Chlorfenapyr	0.034	30	100	<LOQ	Paclobutrazol	0.065	30	100	<LOQ
Chlormequat Chloride	0.108	10	3000	<LOQ	Pentachloronitrobenzene	1.320	10	200	<LOQ
Chlorpyrifos	0.035	30	100	<LOQ	Permethrin	0.343	30	1000	<LOQ
Clofentezine	0.119	30	500	<LOQ	Phosmet	0.082	30	200	<LOQ
Coumaphos	3.770	48	100	<LOQ	Piperonylbutoxide	0.029	30	3000	<LOQ
Cyfluthrin	3.110	30	1000	<LOQ	Prallethrin	0.798	30	400	<LOQ
Cypermethrin	1.449	30	1000	<LOQ	Propiconazole	0.070	30	1000	<LOQ
Daminozide	0.885	30	100	<LOQ	Propoxur	0.046	30	100	<LOQ
Diazinon	0.044	30	200	<LOQ	Pyrethrins	23.593	30	1000	<LOQ
Dichlorvos	2.182	30	100	<LOQ	Pyridaben	0.032	30	3000	<LOQ
Dimethoate	0.021	30	100	<LOQ	Spinetoram	0.080	10	3000	<LOQ
Dimethomorph	5.830	48	3000	<LOQ	Spinosad	0.088	30	3000	<LOQ
Ethoprophos	0.360	30	100	<LOQ	Spiromesifen	0.261	30	3000	<LOQ
Etofenprox	0.116	30	100	<LOQ	Spirotetramat	0.089	30	3000	<LOQ
Etoxazole	0.095	30	1500	<LOQ	Spiroxamine	0.131	30	100	<LOQ
Fenhexamid	0.510	10	3000	<LOQ	Tebuconazole	0.067	30	1000	<LOQ
Fenoxycarb	0.107	30	100	<LOQ	Thiacloprid	0.064	30	100	<LOQ
Fenpyroximate	0.138	30	2000	<LOQ	Thiamethoxam	0.050	30	1000	<LOQ
Fipronil	0.107	30	100	<LOQ	Trifloxystrobin	0.037	30	3000	<LOQ
Flonicamid	0.517	30	2000	<LOQ					

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number