

**South Tip**  
 Order No.: OFLSTL0512-0013953  
 21400 SW 392 ST  
 Florida, 33034  
 andrea@southtip.com  
 7865403529  
 2026-R-2197145

**Sample: SFLSTL0512-IGUM-0005528**  
 Unit Weight: 5.7000g , Sample Size for Testing: 1.0000 Units  
 Batch#: 050120268RVG  
**MMTC Information**  
 Cultivation Facility: , Processing Facility:

**All Natural Gummies: D8**  
 Ingestible, Gummy



## Results

<b>20.2 mg/unit</b> D8-THC	<b>3.48 mg/unit</b> D9-THC
<b>0 mg/unit</b> Total CBD	<b>3.48 mg/unit</b> Total THC
<b>23.7 mg/unit</b> Total Cannabinoids	

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Pass
<b>Water Activity</b> Pass	<b>Foreign Matter</b> Pass	<b>Homogeneity</b> Not Tested
<b>Terpenes</b> Not Tested	<b>Contaminant Load</b> Not Tested	<b>Residual Solvents</b> Pass
<b>Mycotoxins</b> Pass	<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass
<b>Kratom</b> Not Tested	<b>Label Claim</b> Not Tested	



**K'hari Leno**  
 Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## South Tip

Order No.: OFLSTL0512-0013953  
 21400 SW 392 ST  
 Florida, 33034  
 andrea@southtip.com  
 7865403529  
 2026-R-2197145

Sample: SFLSTL0512-IGUM-0005528

Unit Weight: 5.7000g, Sample Size for Testing: 1.0000 Units  
 Batch#: 050120268RVG

### MMTC Information

Cultivation Facility: , Processing Facility:

## All Natural Gummies: D8

Ingestible, Gummy



## Cannabinoids

### Sample Prep

Tech: 3358, 4509

SOP: SOP 801

Batch Number: WCNDFL-FL0513-0006504

Batch Date: 05/13/2026 18:07

### Sample Analysis

Date/Time: 05/14/2026 16:41

Tech: 4509

SOP: SOP 801


Instrument: HPLC - 3013

Final Weight: 0.512 g

Dilution Factor for Sample: 40

Tested

Analyte	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit
CBDV	0.00078	0.03905	ND	ND	ND
CBDa	0.00594	0.03905	ND	ND	ND
CBGa	0.00294	0.03905	ND	ND	ND
CBG	0.00639	0.03905	ND	ND	ND
CBD	0.01086	0.03905	ND	ND	ND
THCV	0.00253	0.03905	ND	ND	ND
THCVa	0.00211	0.03905	ND	ND	ND
CBN	0.00115	0.03905	< LOQ	< LOQ	< LOQ
D9-THC	0.00566	0.03905	<b>0.0611</b>	<b>0.611</b>	<b>3.48</b>
D8-THC	0.00657	0.03905	<b>0.354</b>	<b>3.54</b>	<b>20.2</b>
CBC	0.00423	0.03905	ND	ND	ND
THCa	0.00645	0.03905	ND	ND	ND
CBCa	0.01071	0.03905	ND	ND	ND
Total CBD			0.00	0.00	0.00
Total THC			<b>0.0611</b>	<b>0.611</b>	<b>3.48</b>
Total Cannabinoids			<b>0.415</b>	<b>4.15</b>	<b>23.7</b>



**K'hari Leno**  
 Sr. Lab Supervisor



# Certificate of Analysis

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
kharil@actlab.com

## South Tip

Order No.: OFLSTL0512-0013953  
21400 SW 392 ST  
Florida, 33034  
andrea@southtip.com  
7865403529  
2026-R-2197145

Sample: SFLSTL0512-IGUM-0005528

Unit Weight: 5.7000g , Sample Size for Testing: 1.0000 Units  
Batch#: 050120268RVG

### MMTC Information

Cultivation Facility: , Processing Facility:

All Natural Gummies: D8

Ingestible, Gummy



## Microbials

### Sample Prep

Tech: 4302  
SOP: SOP 406-FL  
Batch Number: WTYMFL-FL0511-0003578  
Batch Date: 05/11/2026 16:14

### Sample Analysis

Date/Time: 05/13/2026 13:08  
Tech: 4509, 4516  
SOP: SOP 406-FL  
Instrument: AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835  
Final Weight: 2.022 g  
Dilution Factor for Sample: 1

Pass

Analyte	Limit (CFU/g)	Result	Status
Yeast & Mold	100,000	ND	Passed
Salmonella	1	Absence	Passed
Aspergillus Flavus	1	Absence	Passed
Aspergillus Fumigatus	1	Absence	Passed
Aspergillus Niger	1	Absence	Passed
Aspergillus Terreus	1	Absence	Passed
STEC E. Coli	1	Absence	Passed



K'hari Leno  
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



# Certificate of Analysis

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
kharil@actlab.com

## South Tip

Order No.: OFLSTL0512-0013953  
21400 SW 392 ST  
Florida, 33034  
andrea@southtip.com  
7865403529  
2026-R-2197145

Sample: SFLSTL0512-IGUM-0005528

Unit Weight: 5.7000g , Sample Size for Testing: 1.0000 Units  
Batch#: 050120268RVG

### MMTC Information

Cultivation Facility: , Processing Facility:

All Natural Gummies: D8

Ingestible, Gummy



## Water Activity

### Sample Prep

Tech: 4517

SOP: SOP 407-FL

Batch Number: WMWAF-FL0512-0006786

Batch Date: 05/12/2026 15:53

### Sample Analysis

Date/Time: 05/12/2026 16:49

Tech: 4509

SOP: SOP 407-FL

Instrument:

Final Weight: 1.094 g

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.85	0.67	Passed



K'hari Leno  
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



# Certificate of Analysis

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
kharil@actlab.com

## South Tip

Order No.: OFLSTL0512-0013953  
21400 SW 392 ST  
Florida, 33034  
andrea@southtip.com  
7865403529  
2026-R-2197145

Sample: SFLSTL0512-IGUM-0005528

Unit Weight: 5.7000g, Sample Size for Testing: 1.0000 Units  
Batch#: 050120268RVG

### MMTC Information

Cultivation Facility: , Processing Facility:

## All Natural Gummies: D8

Ingestible, Gummy



## Foreign Matter

### Sample Prep/Analysis

Tech: 4509

SOP: SOP 409-FL

Batch Date: 05/12/2026 12:59

### Analyte

Pass

### Result

FM

Absent



K'hari Leno  
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## South Tip

Order No.: OFLSTL0512-0013953  
 21400 SW 392 ST  
 Florida, 33034  
 andrea@southtip.com  
 7865403529  
 2026-R-2197145

Sample: SFLSTL0512-IGUM-0005528

Unit Weight: 5.7000g, Sample Size for Testing: 1.0000 Units  
 Batch#: 050120268RVG

### MMTC Information

Cultivation Facility: , Processing Facility:

## All Natural Gummies: D8

Ingestible, Gummy



## Residual Solvents

Pass


### Sample Prep

Tech: 4509  
 SOP: SOP 405-FL  
 Batch Number: WRSVFL-FL0512-0004488  
 Batch Date: 05/12/2026 14:06

### Sample Analysis

Date/Time: 05/12/2026 14:31  
 Tech: 4509  
 SOP: SOP 405-FL  
 Instrument: GCMS-HS - 3015  
 Final Weight: 0.101 g  
 Dilution Factor for Sample: 1

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	0.7	1.0	2.0	ND	Passed
Acetone	2.0	20.0	750.0	ND	Passed
Acetonitrile	2.0	20.0	60.0	ND	Passed
Benzene	0.2	0.4	1.0	ND	Passed
Butane	10.0	20.0	5,000.0	ND	Passed
Chloroform	0.2	0.4	2.0	ND	Passed
Ethanol	20.0	40.0	5,000.0	<b>1,180</b>	Passed
Ethyl Acetate	2.0	20.0	400.0	< LOQ	Passed
Ethyl Ether	20.0	40.0	500.0	ND	Passed
Ethylene Oxide	0.7	2.0	5.0	ND	Passed
Heptane	20.0	40.0	5,000.0	ND	Passed
Hexanes	4.0	8.0	250.0	ND	Passed
Isopropyl Alcohol	20.0	40.0	500.0	ND	Passed
Methanol	20.0	40.0	250.0	ND	Passed
Methylene Chloride	20.0	40.0	125.0	ND	Passed
Pentanes	6.7	13.3	750.0	ND	Passed
Propane	2.0	20.0	5,000.0	ND	Passed
Toluene	2.0	20.0	150.0	ND	Passed
Trichloroethylene	1.0	2.0	25.0	ND	Passed
Total Xylenes	5.0	10.0	150.0	ND	Passed
1,1-Dichloroethene	0.7	2.0	8.0	ND	Passed



K'hari Leno  
 Sr. Lab Supervisor

## South Tip

Order No.: OFLSTL0512-0013953  
 21400 SW 392 ST  
 Florida, 33034  
 andrea@southtip.com  
 7865403529  
 2026-R-2197145

Sample: SFLSTL0512-IGUM-0005528

Unit Weight: 5.7000g, Sample Size for Testing: 1.0000 Units  
 Batch#: 050120268RVG

### MMTC Information

Cultivation Facility: , Processing Facility:

## All Natural Gummies: D8

Ingestible, Gummy



## Mycotoxins

### Sample Prep


Tech: 3358  
 SOP: SOP 424-FL  
 Batch Number: WPMCFL-FL0513-0004435  
 Batch Date: 05/13/2026 17:52

### Sample Analysis

Date/Time: 05/14/2026 15:12  
 Tech: 4509  
 SOP: SOP 424-FL  
 Instrument: LC-MS/MS - 2894  
 Final Weight: 0.1 g  
 Dilution Factor for Sample: 2.5

Pass

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	1.992	9.960	20.000	ND	Passed
B2	1.992	9.960	20.000	ND	Passed
G1	1.992	9.960	20.000	ND	Passed
G2	1.992	9.960	20.000	ND	Passed
Ochratoxin A	1.992	9.960	20.000	ND	Passed



K'hari Leno  
 Sr. Lab Supervisor

## South Tip

Order No.: OFLSTL0512-0013953  
 21400 SW 392 ST  
 Florida, 33034  
 andrea@southtip.com  
 7865403529  
 2026-R-2197145

Sample: SFLSTL0512-IGUM-0005528

Unit Weight: 5.7000g , Sample Size for Testing: 1.0000 Units  
 Batch#: 050120268RVG

### MMTC Information

Cultivation Facility: , Processing Facility:

## All Natural Gummies: D8

Ingestible, Gummy



## Heavy Metals

### Sample Prep


Tech: 4510  
 SOP: SOP 428-FL  
 Batch Number: WMTLFL-FL0513-0004656  
 Batch Date: 05/13/2026 14:08

### Sample Analysis

Date/Time: 05/13/2026 21:46  
 Tech: 4509  
 SOP: SOP 428-FL  
 Instrument: ICP-MS - 2837  
 Final Weight: 0.242 g  
 Dilution Factor for Sample: 50

Pass

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	20.100	100.000	1,500.000	ND	Passed
Cadmium	20.100	100.000	500.000	ND	Passed
Mercury	20.100	100.000	3,000.000	ND	Passed
Lead	20.100	250.000	500.000	ND	Passed



K'hari Leno  
 Sr. Lab Supervisor

## South Tip

Order No.: OFLSTL0512-0013953  
 21400 SW 392 ST  
 Florida, 33034  
 andrea@southtip.com  
 7865403529  
 2026-R-2197145

## Sample: SFLSTL0512-IGUM-000528

Unit Weight: 5.7000g, Sample Size for Testing: 1.0000 Units  
 Batch#: 050120268RVG

### MMTC Information

Cultivation Facility: , Processing Facility:

## All Natural Gummies: D8

Ingestible, Gummy



## Pesticides

### Sample Prep


**Tech:** 3358  
**SOP:** SOP 424-FL  
**Batch Number:** WPTGFL-FL0513-0003196  
**Batch Date:** 05/13/2026 17:52

### Sample Analysis

**Date/Time:** 05/14/2026 11:24  
**Tech:** 4509  
**SOP:** SOP 424-FL  
**Instrument:** GC-MS/MS - 3005 / LC-MS/MS - 2894  
**Final Weight:** 0.635 g  
**Dilution Factor for Sample:** 2.5 (LCMS), 10 (GCMS)

Pass

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.009	0.022	0.300	ND	Passed
Acephate	0.010	0.025	3.000	ND	Passed
Acequinocyl	0.010	0.025	2.000	ND	Passed
Acetamiprid	0.002	0.010	3.000	ND	Passed
Aldicarb	0.005	0.020	0.100	ND	Passed
Azoxystrobin	0.002	0.010	3.000	ND	Passed
Bifenazate	0.002	0.010	3.000	ND	Passed
Bifenthrin	0.002	0.025	0.500	ND	Passed
Boscalid	0.010	0.050	3.000	ND	Passed
Carbaryl	0.005	0.010	0.500	ND	Passed
Carbofuran	0.002	0.010	0.100	ND	Passed
Chlorantraniliprole	0.002	0.010	3.000	ND	Passed
Chlorpyrifos	0.010	0.025	0.100	ND	Passed
Clofentezine	0.010	0.025	0.500	ND	Passed
Coumaphos	0.010	0.050	0.100	ND	Passed
Cyfluthrin	0.010	0.100	1.000	ND	Passed
Cypermethrin	0.010	0.100	1.000	ND	Passed
Daminozide	0.010	0.025	0.100	ND	Passed
Diazinon	0.002	0.010	0.200	ND	Passed
Dichlorvos	0.010	0.025	0.100	ND	Passed
Dimethoate	0.002	0.010	0.100	ND	Passed
Dimethomorph	0.003	0.011	3.000	ND	Passed
Ethoprophos	0.002	0.010	0.100	ND	Passed
Etofenprox	0.002	0.010	0.100	ND	Passed
Etoxazole	0.002	0.010	1.500	ND	Passed
Fenhexamid	0.010	0.050	3.000	ND	Passed
Fenoxycarb	0.002	0.010	0.100	ND	Passed
Fenpyroximate	0.005	0.020	2.000	ND	Passed
Fipronil	0.002	0.010	0.100	ND	Passed
Flonicamid	0.005	0.020	2.000	ND	Passed
Fludioxonil	0.005	0.010	3.000	ND	Passed

**K'hari Leno**  
 Sr. Lab Supervisor



# Certificate of Analysis

CMTL-0004  
 ACT Laboratories (FL)  
 4001 SW 47th Ave Suite 208, Davie, Florida  
 8448228522  
 kharil@actlab.com

## South Tip

Order No.: OFLSTL0512-0013953  
 21400 SW 392 ST  
 Florida, 33034  
 andrea@southtip.com  
 7865403529  
 2026-R-2197145

Sample: SFLSTL0512-IGUM-0005228

Unit Weight: 5.7000g, Sample Size for Testing: 1.0000 Units  
 Batch#: 050120268RVG

### MMTC Information

Cultivation Facility: , Processing Facility:

## All Natural Gummies: D8

Ingestible, Gummy



Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Hexythiazox	0.005	0.020	2.000	ND	Passed
Imazalil	0.010	0.025	0.100	ND	Passed
Imidacloprid	0.025	0.125	3.000	ND	Passed
Kresoxim Methyl	0.005	0.010	1.000	ND	Passed
Malathion	0.020	0.050	2.000	ND	Passed
Mevinphos	0.009	0.022	0.100	ND	Passed
Metalaxyl	0.002	0.010	3.000	ND	Passed
Methiocarb	0.002	0.010	0.100	ND	Passed
Methomyl	0.002	0.010	0.100	ND	Passed
Myclobutanil	0.005	0.025	3.000	ND	Passed
Naled	0.020	0.025	0.500	ND	Passed
Oxamyl	0.002	0.010	0.500	ND	Passed
Paclobutrazol	0.002	0.010	0.100	ND	Passed
Permethrin	0.010	0.025	1.000	ND	Passed
Phosmet	0.005	0.025	0.200	ND	Passed
Piperonyl Butoxide	0.002	0.010	3.000	ND	Passed
Prallethrin	0.010	0.025	0.400	ND	Passed
Propiconazole	0.010	0.025	1.000	ND	Passed
Propoxur	0.002	0.010	0.100	ND	Passed
Pyrethrins	0.033	0.066	1.000	ND	Passed
Pyridaben	0.002	0.010	3.000	ND	Passed
Spinetoram	0.007	0.018	3.000	ND	Passed
Spinosyn AD	0.010	0.042	3.000	ND	Passed
Spiromesifen	0.002	0.010	3.000	ND	Passed
Spirotetramat	0.005	0.025	3.000	ND	Passed
Spiroxamine	0.002	0.010	0.100	ND	Passed
Tebuconazole	0.010	0.025	1.000	ND	Passed
Thiacloprid	0.002	0.010	0.100	ND	Passed
Thiamethoxam	0.002	0.010	1.000	ND	Passed
Trifloxystrobin	0.002	0.010	3.000	ND	Passed
Captan	0.010	0.100	3.000	ND	Passed
Methyl Parathion	0.010	0.020	0.100	ND	Passed
Chlordane	0.010	0.020	0.100	ND	Passed
Chlorfenapyr	0.010	0.020	0.100	ND	Passed
Chlormequat Chloride	0.002	0.010	3.000	ND	Passed
Pentachloronitrobenzene	0.010	0.050	0.200	ND	Passed



**K'hari Leno**  
 Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.